


CD**100****MEVLÜT
CEYLAN
DISLI**


MODEL GEARBOX SPECIFICATIONS




Technical Specifications


Gearshift	1th Gear	2th Gear	3th Gear	4th Gear
Gear Arrangement	17-21	19-20	20-19	21-17
Gear Ratio	1:0,375	1:0,441	1:0,488	1:0,573
Input Speed (rpm)	540	540	540	540
Output Speed (rpm)	203	238	264	309
Power	110 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	5 Liter			

Technical Dimensions



MODEL GEARBOX SPECIFICATIONS**Technical Specifications**


Gearshift	1th Gear	2th Gear	3th Gear	4th Gear
Gear Arrangement	17-21	19-20	20-19	21-17
Gear Ratio	1:0,375	1:0,441	1:0,488	1:0,573
Input Speed (rpm)	540	540	540	540
Output Speed (rpm)	203	238	264	309
Power	140 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	5,8 Liter			

Technical Dimensions


MODEL GEARBOX SPECIFICATIONS



Technical Specifications

Gear Ratio	1:0,78	1:0,78	1:0,6	1:0,6
Input Speed (rpm)	540	1000	540	1000
Output Speed (rpm)	415	780	328	607
Power	250 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	7 Liter			

Technical Dimensions




CD**110****MEVLÜT
CEYLAN
DISLI**


MODEL GEARBOX SPECIFICATIONS




Technical Specifications


Gearshift	1th Gear	2th Gear	3th Gear	4th Gear
Gear Arrangement	18-23	19-21	21-19	18-23
Gear Ratio	1:0,378	1:0,437	1:0,533	1:0,616
Input Speed (rpm)	540	540	540	540
Output Speed (rpm)	204	236	288	333
Power	70 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	5 Liter			

Technical Dimensions



CD**120****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gearshift	1th Gear	2th Gear	3th Gear	4th Gear
Gear Arrangement	16-22	18-20	20-18	22-16
Gear Ratio	1:0,38	1:0,47	1:0,58	1:0,717
Input Speed (rpm)	540	540	540	540
Output Speed (rpm)	205	253	313	387
Power	40 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	3,5 Liter			


Technical Dimensions

CD**130****MEVLÜT
CEYLAN
DISLI**



MODEL GEARBOX SPECIFICATIONS



Technical Specifications

Gearshift	1th Gear	2th Gear	3th Gear	4th Gear
Gear Arrangement	16-19	17-18	18-17	19-16
Gear Ratio	1:0,498	1:0,558	1:0,626	1:0,702
Input Speed (rpm)	540	540	540	540
Output Speed (rpm)	269	301	338	379
Power	70 HP			
Usage Area	Rotary Tiller 			
Oil Grade	SAE 140			
Oil Capacity	3,5 Liter			

Technical Dimensions




CD 200**MEVLÜT
CEYLAN
DISLI**



MODEL GEARBOX SPECIFICATIONS




Technical Specifications



Gear Ratio	1:0,517	1:1,93
Input Speed (rpm)	540	540
Output Speed (rpm)	279	1044
Power	70 HP	
Usage Area	Rotary Tiller	
Oil Grade	SAE 140	
Oil Capacity	3,5 Liter	

Technical Dimensions





MODEL GEARBOX SPECIFICATIONS**Technical Specifications**

Gear Ratio	1:0,517	1:1,93
Input Speed (rpm)	540	540
Output Speed (rpm)	279	1044
Power	70 HP	
Usage Area	Rotary Tiller	
Oil Grade	SAE 140	
Oil Capacity	3,5 Liter	


Technical Dimensions


CD**220****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,538	1:1,85
Input Speed (rpm)	540	540
Output Speed (rpm)	290	1002
Power	65 HP	
Usage Area	Rotary Tiller	
Oil Grade	SAE 90	
Oil Capacity	2,1 Litre	


Technical Dimensions


CD**230****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,68	1:1,46
Input Speed (rpm)	540	540
Output Speed (rpm)	369	789
Power	20 HP	
Usage Area	Rotary Tiller	
Oil Grade	SAE 90	
Oil Capacity	0,8 Liter	

Technical Dimensions




CD**250****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,333	1:3
Input Speed (rpm)	540	540
Output Speed (rpm)	180	1620
Power	65 HP	
Usage Area	Hole Digger 	
Oil Grade	SAE 90	
Oil Capacity	1,8 Litre	

Technical Dimensions



CD**260****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,333	1:3
Input Speed (rpm)	540	540
Output Speed (rpm)	180	1620
Power	40 HP	
Usage Area	Hole Digger	
Oil Grade	SAE 90	
Oil Capacity	1,2 Liter	


**Technical Dimensions**


CD 300**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,538
Input Speed (rpm)	540
Output Speed (rpm)	290
Power	75 HP
Usage Area	Inter Row Rotary Cultivator
Oil Grade	SAE 90
Oil Capacity	1,5 Liter

**Technical Dimensions**



CD 310**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,625
Input Speed (rpm)	540
Output Speed (rpm)	337
Power	55 HP
Usage Area	Inter Row Rotary Cultivator 
Oil Grade	SAE 90
Oil Capacity	1,3 Liter

Technical Dimensions

CD**315****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,625
Input Speed (rpm)	540
Output Speed (rpm)	337
Power	55 HP
Usage Area	Solid Fertilizer Sprayer
Oil Grade	SAE 90
Oil Capacity	1,3 Liter

**Technical Dimensions**


CD**320****MEVLÜT
CEYLAN
DISLI**

MODEL GEARBOX SPECIFICATIONS





Technical Specifications

Gear Ratio	1:0,625	1:1,6
Input Speed (rpm)	540	540
Output Speed (rpm)	337	864
Power	55 HP	
Usage Area	Inter Row Rotary Cultivator	
Oil Grade	SAE 90	
Oil Capacity	1,3 Liter	






Technical Dimensions






CD**340****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:1
Input Speed (rpm)	540
Output Speed (rpm)	540
Power	20 HP
Usage Area	Hoeing Machine
Oil Grade	SAE 140
Oil Capacity	0,7 Liter


**Technical Dimensions**


CD 350**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,684
Input Speed (rpm)	540
Output Speed (rpm)	370
Power	15 HP
Usage Area	Rotary Drum Mower 
Oil Grade	SAE 140
Oil Capacity	0,5 Liter


Technical Dimensions


CD**360****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,684	1:1
Input Speed (rpm)	540	540
Output Speed (rpm)	368	540
Power	20 HP	
Usage Area	Rotary Drum Mower Hoeing Machine 	
Oil Grade	SAE 140	
Oil Capacity	1,1 Liter	


Technical Dimensions



CD 400**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,333	1:3
Input Speed (rpm)	540	540
Output Speed (rpm)	180	1620
Power	70 HP	
Usage Area	Mulcher Machine	
Oil Grade	SAE 90	
Oil Capacity	2 Liter	

Technical Dimensions




CD 410**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,333	1:3
Input Speed (rpm)	540	540
Output Speed (rpm)	180	1620
Power	70 HP	
Usage Area	Mulcher Machine	
Oil Grade	SAE 90	
Oil Capacity	2,2 Liter	

Technical Dimensions




CD**420****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:1,92
Input Speed (rpm)	540
Output Speed (rpm)	1035
Power	30 HP
Usage Area	Mulcher Machine
Oil Grade	SAE 140
Oil Capacity	1,3 Liter


**Technical Dimensions**



CD**430****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**


Gear Ratio	1:0,138
Input Speed (rpm)	540
Output Speed (rpm)	75
Power	
Usage Area	Rotary Windrower
Oil Grade	SAE 140
Oil Capacity	3 Liter


**Technical Dimensions**




CD 500**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gearshift	1th Gear	2th Gear
Gear Arrangement	24-32	32-24
Gear Ratio	1:0,362	1:0,644
Input Speed (rpm)	540	540
Output Speed (rpm)	196	348
Power	85 HP	
Usage Area	Vertical Rotary Tiller 	
Oil Grade	SAE 140	
Oil Capacity	3,6 Liter	

Technical Dimensions



CD**600****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:3
Input Speed (rpm)	540
Output Speed (rpm)	1620
Power	30 HP
Usage Area	Sugar Beet Harvester 
Oil Grade	SAE 90
Oil Capacity	1 Liter

Technical Dimensions


CD**610****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,5	1:0,33
Input Speed (rpm)	540	540
Output Speed (rpm)	270	180
Power	35 HP	
Usage Area	Sugar Beet Harvester	
Oil Grade	SAE 90	
Oil Capacity	1 Litre	

**Technical Dimensions**


CD 700**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,033
Input Speed (rpm)	540
Output Speed (rpm)	18
Power	-
Usage Area	Solid Fertilizer Sprayer Trailer 
Oil Grade	SAE 90
Oil Capacity	1,3 Liter


Technical Dimensions

CD**720****MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,16
Input Speed (rpm)	540
Output Speed (rpm)	33
Power	-
Usage Area	Solid Fertilizer Sprayer Trailer 
Oil Grade	SAE 90
Oil Capacity	1,1 Liter

Technical Dimensions

CD 800**MEVLÜT
CEYLAN
DISLI****MODEL GEARBOX SPECIFICATIONS****Technical Specifications**

Gear Ratio	1:0,125
Input Speed (rpm)	540
Output Speed (rpm)	67,5
Power	25 HP
Usage Area	Feed Mixer 
Oil Grade	SAE 90
Oil Capacity	2 Liter

Technical Dimensions